



Chopin


PRODUCT ID 041296

*floor

EQUIPMENT



PARTS



8 168x




9 16x




11 8x



10 7x



12 8x




**PACKAGE OF TILLED
ELEMENTS**

112x




**PACKAGE OF EACH
ROOF ELEMENT**

26x




PARTS FOR THE FLOOR *

12 8x



13 1x



FITTINGS

A 4x



5x90 mm

B 64x




4,5x60 mm

104x*

With floor elements

C 106x



3,5x35 mm

D 720x



2,8x15 mm

E 416x



3x25 mm

F 336x




2x40 mm

G 40x



2,5x12 mm



STEP 1*




REPEAT STEP 1 FOR ALL FLOOR PANELS

STEP 2*


SEGMENT CREATED IN STEP 1




STEP 3



STEP 4



STEP 5



STEP 6

SEGMENTS FROM STEP 5




SEGMENT FROM STEP 2*

STEP 7




REPEAT STEP 7 - 4 TIMES

STEP 8



STEP 9




STEP 10

SEGMENT FROM
STEP 8

AS IN STEPS 8,9

4



AS IN STEPS 8,9


STEP 11

TAKE ONE ITEM
FROM EACH
PACKAGE OF ROOF
ELEMENTS




 SORT ROOF
ELEMENTS BY
LENGTH

26 ELEMENTS



12


MONTAGE AFTER
STEP 13



G 5x

REPEAT STEP - 8 TIMES

STEP 12




REPEAT STEP – 8 TIMES

STEP 13

set circular saw on 16mm
and use to cut the roof








draw a cutting line




STEP 14

**PREPARE TILED
ELEMENTS FOR
ROOF**



STEP 15


FIRST ELEMENT MONTAGE OPPOSITE AND DRAW AXIS IN THE MIDDLE



AXIS WILL HELP IN MONTAGE OF
TILL ELEMENTS
DRAW AXIS ON EACH NEXT ELEMENT

STEP 16


MONTAGE FROM 1 TO 16



D


90x

**REMOVE FOIL
BEFORE INSTALLATION**



REPEAT STEP - 8 TIMES

STEP 17




**CUT THE SCHINGLES TO
THE SHAPE OF THE ROOF
(ALONG THE JOINING
LINES OF THE SEGMENTS)**




REPEAT STEP – 8 TIMES

STEP 18




REPEAT STEP - 8 TIMES

STEP 19



STEP 20

PUT BELT OF LEAD ON ROOF
THEN USE WOODEN SCRIBER TO COMPENSATE LEAD



PLACE WHERE TO PUT
BELT OF LEAD

11



