





Double Carport

NR. ART. 041800

PART: 1	7 pcs	PART: 2	7 pcs	PART: 3	4 pcs	PART: 4	22 pcs
POST LEFT		POST RIGHT		RING BEAM		RAFTER	



PART: 6 | 14 pcs



METAL WORKS 1

SIGN: 7 | 21 pcs



PCV PANEL

PART: 8a | 24 pcs



CORNER BRACING

PART: 8b | 12 pcs



TRELLIS

OR

EXPLANATION



VIEW




MEASURE



ZOOM





DRAW

PART	FIXING HARDWARE	QUANTITY
A	M8 x 100 mm 	42 pcs
B	M8 x 55 mm 	28 pcs
C	5,0 x 60 mm 	128 pcs
D	4,0 x 50 mm 	72 pcs
E	4,8 x 25 mm 	315 pcs



STEP 0

POST HOLDER




GROUND MUST BE FLAT

USE A SPIRIT LEVEL




STEP 3




USE A SPIRIT LEVEL TO DETERMINE VERTICAL

STEP 4




STEP 5 - version with trellis



PART: 8b


PART: D, 6 pcs



PART: 8b

REPEAT STEP 5 - 12 TIMES

STEP 6 - version with corner bracings




PART: 1, 2

PART: 8a, 2 pcs

PART: 8a

PART: 3

PART: 1, 2



PART: D, 3 pcs

PART: 1, 2


PART: 8a

REPEAT STEP 6 - 12 TIMES

STEP 7a


START FROM THE CENTRAL RAFTER

PART: 4, 12pcs



STEP 7b

PART: 4, 12pcs



b b b a a a a b b b

 a = ~60cm

 b = ~63cm

