




Vivaldi Pavilion

PRODUCT 041295

EQUIPMENT



PARTS



PARTS


8

90x



10

5x




PACKAGE OF TILLED ELEMENTS

66x



PACKAGE OF EACH ROOF ELEMENT


19x



FITTINGS


A	3x		5x90 mm
B	60x		4,5x60 mm
C	108x		5x60 mm
D	16x		3,5x40 mm
E	426x		2,8x15 mm
F	180x		3x25 mm
G	228x		2x40 mm

STEP 1



REPEAT STEP 1 ON ALL ELEMENTS PART: 1

STEP 2




REPEAT STEP – 3 TIMES

STEP 3



STEP 4



REPEAT STEP - 3 TIMES

STEP 5

SEGMENT CREATED IN STEP 4

AS IN STEP 2




GROUND MUST BE FLAT

REPEAT STEP - 3 TIMES

STEP 6

AS IN STEP 3,4




REPEAT STEP 3 – 2 TIMES

STEP 7


AS IN STEP 4



STEP 8




STEP 9



STEP 10

AS IN STEP 9,10




STEP 11

**TAKE ONE ITEM
FROM EACH
PACKAGE OF ROOF
ELEMENTS**





19 ELEMENTS

**SORT ROOF
ELEMENTS BY
LENGTH**



REPEAT STEP – 6 TIMES

STEP 12




REPEAT STEP – 6 TIMES

STEP 13

set circular saw on 16mm
and use to cut the roof








draw a cutting line




STEP 14

**PREPARE TILED
ELEMENTS FOR
ROOF**



STEP 15



FIRST ELEMENT MONTAGE OPPOSITE AND DRAW AXIS IN THE MIDDLE




AXIS WILL HELP IN MONTAGE OF
TILL ELEMENTS
DRAW AXIS ON EACH NEXT ELEMENT

STEP 16

MONTAGE FROM 1 TO 11




**REMOVE FOIL
BEFORE INSTALLATION**



REPEAT STEP - 6 TIMES


STEP 17



**CUT THE SCHINGLES TO
THE SHAPE OF THE ROOF
(ALONG THE JOINING
LINES OF THE SEGMENTS)**

REPEAT STEP – 6 TIMES

STEP 18



REPEAT STEP - 6 TIMES

STEP 19

